

[Home](#) ■ [HUBER Report](#) ■ [Stainless_Steel](#) ■ [Technical Doors](#) ■
[HUBER's Stainless Steel Pressure Tight Submarine Doors Selected For New Reservoir](#)

HUBER's Stainless Steel Pressure Tight Submarine Doors Selected For New Reservoir

HUBER Technology have received an order from JN Bentley for the TT7 stainless steel submarine pressure tight doors. The order is for



HUBER TT7 pressure tight stainless steel submarine door



a new covered reservoir under construction for one of the largest water companies in the north of the UK.

HUBER have supplied:

- 2 x TT7 rectangular pressure tight door with central lock
- WRAS certification

The client had the below specification requirements for this order;

- For embedding into concrete, able to be lined on both sides
- Clear opening width 1000mm
- Clear opening height 2000mm
- To be mounted in a concrete wall
- Pressure tight up to a water gauge of 10mm
- Central lock to be operated from both sides
- Centrally installed inspection window with inside diameter of 150mm
- Installed LED underwater spotlight

Related Products:

- [Pressure-tight Door](#)
- [Technical Doors, Louvres and Windows](#)

Related Solutions:

- [HUBER Solutions for Water Storage](#)

Adresse / address: HUBER SE · Industriepark Erasbach A1 · 92334 Berching · Germany · Telefon / phone: + 49 - 84 62 - 201 - 0 · Fax / fax: + 49 - 84 62 - 201 - 810
e-mail: info@huber.de · Internet: <http://www.huber.de>

Sitz der Gesellschaft / Headquarters: Berching · AG Nürnberg / Register of companies: HRB 25558

Vorstand / Board: Georg Huber (Vorsitzender / CEO), Dr.-Ing. Oliver Rong (stellvertretender Vorsitzender / Vice CEO), Dr.-Ing. Johann Grienberger, Rainer Köhler
Aufsichtsratsvorsitzender / Chairman of the Supervisory Board: Alois Ponnath



USt (VAT)-IdNr.: DE 812353219

Bank: HypoVereinsbank Nürnberg (BLZ 760 200 70) 5 008 409 · SWIFT-BIC: HYVEDEMM460 · IBAN: DE 30 7602 0070 0005 0084 09

